BL 8060 SF

with offset fixing (wall-glass) for single action residential and heavy-duty glass doors without stop



Product features

- hydraulic hinge
- for use with wall-glass combinations
- with offset fixing wing
- with closing speed adjustment
- automatic closing from + 80°







-15°C +40°C

Technical data

Property	Value
Load capacity	100,0 kg
Overall length	110,0 mm
Overall width	112,0 mm
Overall depth	51,5 mm
Opening angle	90°
Automatic closing	+ 80°
Glass thickness	8 mm, 10 mm, 12 mm
Temperature resistance	- 15,0°C to + 40,0°C

Quality marks




TÜV certification

Classification code

3	8	2/5 -1	0	1	4
---	---	--------	---	---	---

¹ The front digit indicates the torques achieved and the efficiency, the rear digit indicates the maximum door weight in accordance with EN 1154:2006. All other technical characteristics are specified in the technical data sheets.



BILOBA - BL 8060 SF

Notes

Violent opening further than 95° could unhinge the door. We suggest to install a door stop.

In case of gaskets usage, consider its overall dimension.


65 (1/4) 29 (1 1/5) 65 (1/4) 42 (1 5/6) front view 2


Combinations

BL 8060

Item versions

VPE DIN Article number EAN	EV1 satin silver natural, anodized 20 micron (CO 002) pack of 1 DIN right and left hand 8060SF02 8056895008760
Finish VPE DIN Article number EAN	satin black, anodized (CO 005) pack of 1 DIN right and left hand 8060SF05 8056895008777
VPE DIN Article number EAN	similar satin stainless steel, PVD coated (CO 013) pack of 1 DIN right and left hand 8060SF13 8056895008784
Finish	polished chromed (CO 014) pack of 1





BILOBA - BL 8060 SF

DIN Article number EAN	DIN right and left hand 8060SF14 8056895008791
VPE DIN Article number EAN	matt gray, liquid electrostatic coated (CO 015) pack of 1 DIN right and left hand 8060SF15 8056895008807
Finish VPE DIN Article number EAN	similar polished gold, PVD coated (CO 016) pack of 1 DIN right and left hand 8060SF16 8056895008814
Finish VPE DIN Article number EAN	similar matt gold, coated (CO 017) pack of 1 DIN right and left hand 8060SF17 8056895008821
VPE DIN Article number EAN	RAL 9005 jet black matt, liquid electrostatic coated (CO 062) pack of 1 DIN right and left hand 8060SF62 8056895008845
VPE DIN Article number	RAL 9010 pure white matt, liquid electrostatic coated (CO 088) pack of 1 DIN right and left hand 8060SF88
Finish	RAL 9016 traffic white matt, liquid electrostatic coated (CO 095)

BILOBA - BL 8060 SF

VPE	pack of 1

DIN right and left hand

Article number 8060SF95