



BILOBA - BL 8060 SOL

BL 8060 SOL



with offset fixing (wall-glass) for single action residential and heavy-duty glass doors

**Product features**

- free swinging hinge
- for use with wall-glass combinations
- with offset fixing wing

**Technical data**

Property	Value
Load capacity	100,0 kg
Overall length	110,0 mm
Overall width	112,0 mm
Overall depth	51,5 mm
Opening angle	90°
Glass thickness	8 mm, 10 mm, 12 mm
Max. door width	1000,0 mm

Notes

BILOBA - BL 8060 SOL


In case of gaskets usage, consider its overall dimension.

Combinations


BL 8060

Item versions

Finish	EV1 satin silver natural, anodized 20 micron (CO 002)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL02
Finish	satin black, anodized (CO 005)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL05
EAN	8056895008869
Finish	similar satin stainless steel, PVD coated (CO 013)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL13
EAN	8056895008876
Finish	polished chromed (CO 014)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL14
EAN	8056895008883
Finish	matt gray, liquid electrostatic coated (CO 015)
VPE	pack of 1
DIN	DIN right and left hand



cross section 1



cross section 2

BILOBA - BL 8060 SOL

Article number	8060SOL15
EAN	8056895008890
Finish	similar polished gold, PVD coated (CO 016)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL16
Finish	similar matt gold, coated (CO 017)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL17
EAN	8056895008920
Finish	RAL 9005 jet black matt, liquid electrostatic coated (CO 062)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL62
EAN	8056895008944
Finish	RAL 9010 pure white matt, liquid electrostatic coated (CO 088)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL88
Finish	RAL 9016 traffic white matt, liquid electrostatic coated (CO 095)
VPE	pack of 1
DIN	DIN right and left hand
Article number	8060SOL95